

47a Lara Way Campbellfield Victoria 3061 Ph 9357 9510 Fax 9357 9908

Date of Issue – 10/08/14 Revision – 1.0

MATERIAL SAFETY DATA SHEET

Non Hazardous according to criteria of Worksafe Australia

PRODUCT NAME AND REFERENCE NUMBER

850 H2OIL

980PS-0001

APPLICATION: Water based timber stain finish coat, suitable for use on all

interior/exterior timber decks, furniture and wood work.

UN No: 1263 D.G: None Allocated

HAZCHEM: None Allocated P.G: None Allocated

PHYSICAL DATA

Appearance: Clear liquid Odour: Low odour

Specific Gravity: 0.950 - 1.15 kg/lt

Solubility in water g/l: Emulsifiable

FIRE AND EXPLOSION HAZARD DATA

Non Fammable

FIRE AND EXPLOSION HAZARDS:

Non Flammable

REACTIVITY DATA

STABLE	X
UNSTABLE	

Materials to avoid: Strong oxidizing agents

Hazardous Decomposition Products: Carbon dioxide and monoxide.

HAZARDOUS POLYMERISATION: Will not occur

INGREDIENTS

% Composition by wt	0-1	1-10	10-30	30-60	>60	CAS RN	TLV PPM
Emulsion (non Hazardous)			Х				
Inert pigment/fillers		Х					
surfactant		Χ					

HEALTH HAZARD DATA

Not applicable

EFFECTS OF EXPOSURE

EYES: May cause eye irritation.

SKIN: May cause slight skin irritation after prolonged or repeated

exposure.

INHALATION: May cause slight irritation in rare cases.

INGESTION: Gastrointestinal irritation may cause nausea, pain and

vomiting. Vomit entering the lungs by aspiration may cause

potentially lethal chemical pneumonitis.

FIRST AID

EYES: Flush eyes with water for at least 15 minutes. Ensure

irrigation under both eyelids is achieved. Transport patient to hospital or doctor if required. Do not attempt to remove contact lenses, this should only be undertaken by skilled

personnel.

SKIN: Remove contaminated clothing.

Wash affected areas thoroughly with soap and water. If

irritation occurs seek medical attention.

INHALATION: Move patient to fresh air away from contamination source

and remove contaminated clothing. If irritation persists seek

medical attention.

INGESTION: If swallowed do not induce vomiting. Wash mouth with

water. Give water to drink to dilute stomach contents. If vomiting occurs, place victim's head downward, head lower than hips to prevent vomit entering lungs. Seek immediate

medical attention.

SAFETY PROTECTION INFORMATION

ENGINEERING CONTROLS: As with good work safe practices, use in a well-

ventilated area, under normal conditions

general exhaust is adequate.

PERSONAL PROTECTION

INHALATION: Wear an Australian Standard Approved

respirator. The selection of class and type will be dependent on level of air-borne contaminant

and chemical type.

EYES: Chemical goggles or safety glasses with side

shields. Do not wear contact lenses as they

absorb and concentrate irritants.

HANDS: Use barrier cream and wear rubber gloves. Do

not wash hands with solvent; use industrial

hand cleansing cream or soap and water.

CLOTHING: Wear protective clothing that minimizes the risk

of skin contamination. Wear safety footwear.

STORAGE AND TRANSPORT

Store cans away from oxidising agents, foodstuffs and clothing. Keep containers closed securely when not in use.

SPILL OR LEAK PROCEDURES

Avoid contact with skin and eyes. Wear appropriate safety equipment. Absorb spill with inert material such as sand, vermiculite or other absorbent material. Do not permit spilled material to flow into sewer or natural waterway.

DISPOSAL

Consult local land waste Management Authority for disposal. Recycle where possible; dispose of containers at an authorised landfill.

CONTACT

Australian Poisons Information Centre: 13 11 26 Police, Fire brigade or Ambulance: 000

All advice, recommendations, information or service provided by Intec Coatings in relation to product manufactured or supplied by it or their use and application is given in good faith and is believed by Intec Coatings to be appropriate and reliable. This information may be subject to change without notice. No warranty expressed or implied is made as to its accuracy, completeness or otherwise provided that the foregoing shall not exclude, limit, restrict or modify the right entitlements and remedies conferred upon any person or the liabilities imposed upon Intec by any condition or warranty implied by Commonwealth, State or Territory Act or ordinance void or prohibiting such exclusion limitation or modification. Intec Coatings has no control on individual customer's application methods and or raw materials used and therefore can not be held responsible for product failure if recommended guidelines are not satisfied. Products are expected to perform as indicated provided the application procedures are adhered to.