



GRAFFITI STRIPPER

Technical Data Sheet

09/09/09

Description: Graffiti remover

Intended use: Removal of a graffiti such as spray paint, markers, crayon, inks from painted and unpainted masonry, bricks, signs, timber, metal, concrete, glass and much more.

Features: Fast Acting, biodegradable, spray and rinse application, does not require expensive equipment, does not remove painted surfaces beneath graffiti.

Limitations: Test an inconspicuous area first. Painted surfaces will appear lighter after use and then return to normal colour. Fastness of painted substrate depends on the quality of the paint on the substrate and the age of the graffiti.

Sizes: 5L, 15L, 25L, 205L, 1000L

Dilution: Ready to use preparation.

**Typical
Physical
Properties:**

Appearance & Odour	Reddish Brown coloured liquid. Moderate solvent & alcohol odour.
Melting/Softening Point	No specific data. Liquid at normal temperatures
Boiling Point & Vapour Pressure	179-213°C at 100kPa; 44mmHg (Vapour Pressure)
Volatile Materials	50% evaporates below 100°C, the remainder slowly at higher temperatures.
Flashpoint	Approx. 30°C
Upper Flammability Limit	12%
Lower Flammability Limit	2% (IPA)
Solubility in Water	Soluble
Corrosiveness	Mildly corrosive to some metallic items.
Shelf Life	3 years after manufacture date.

Identification:

UN No.	2924
Dangerous Goods Class	Class 3, Flammable Liquid. n.o.s.
Hazchem Code	Not Applicable
Sub Risk Class	No subsidiary risk
Packaging Group	II
Poison Schedule	Not Scheduled

Safety: Irritating to eyes and skin, possible skin sensitiser.

Application Instructions: Wearing the appropriate safety gear, spray Graffiti Stripper on to surface and leave a few minutes. For porous or textured surfaces, agitate surface with a bristled brush to remove contaminant from pores. Rinse well with water, a water pressure sprayer, hose or bucket of water. Do not apply in high temperatures or in hot direct sunlight.

Safety Gear: Product may irritate skin and eyes. Wear protective gloves and clothing. A mask and goggles may be worn to protect against product splashing and airborne spray.

Safety: Please see MSDS (Material Safety Data Sheet) for storage, safety and first aid directions before use.